

HEATCON COMPOSITES SYSTEMS

US Location - Materials Expiring List

Last Updated: 06/06/25



Material #	Description	Remaining Shelf Life	Stock	UMO
839701	MIS FM 94K .045 PSF 36" ADHESIVE FILM #160251 HMS 16-1278 @<0F	Expired	2000	SF
839702	MIS FM 94K .03 PSF 36" ADHESIVE FILM #160250 HMS 16-1278 @<0F	13%	2500	SF
839705	MIS CYCOM 381 S2 284/33 24" #155821 HMS 16-1281 @<0F	46%	13710	SF
839706	MIS CYCOM 381 WAS4C 3K-PW 48" #155713 HMS 16-1286 @<0F	51%	2952	SF
839707	MIS CYCOM 381 S2 111/33 24" #169831 HMS 16-1281 @<0F	49%	39726	SF
839708	MIS CYCOM 381 120 497A 50" #155711 HMS 16-1281 @<0F	49%	20450	SF



HCS Part #	Description	Expiration Date	Qty
HCS2404-186-10	ADHESIVE FILM, BMS5-101 TYII GR10 ALSO CERTIFIED TO BMS5-129 TY4 CLIID GR10 REV L, WT .06, 3M(AF163-2OST) ONE SIDE TACKY, CUT TO 36" WIDE X 10 YD, STORE AT OR BELOW 0 DEG F 250F CURE *SDS & CERTS*	06/10/2025	2.00
HCS2404-100-10	ADHESIVE FILM, BMS8-145 TYI WT .075, 3M AF131-2 ***CUT TO 40" X 10 YD LENGTH*** STORE AT OR BELOW 0 DEG F 350F CURE *SDS & CERTS*	06/11/2025	1.00
HCS2401-055	PREPREG FIBERGLASS, BMS8-139 ST1581, HEXCEL 38" WIDE, STORE AT OR BELOW 10 DEG F. BMS8-139 CL 1 STY 1581 (1581 38" F161-108:36%) 1 ROLL = 38" X 60 YDS APPROX, 350F CURE *SDS & CERTS*	06/14/2025	45.00
HCS2401-055	PREPREG FIBERGLASS, BMS8-139 ST1581, HEXCEL 38" WIDE, STORE AT OR BELOW 10 DEG F. BMS8-139 CL 1 STY 1581 (1581 38" F161-108:36%) 1 ROLL = 38" X 60 YDS APPROX, 350F CURE *SDS & CERTS*	06/14/2025	80.00
HCS2401-055-10	PREPREG FIBERGLASS, BMS8-139 ST1581- HEXCEL ***CUT TO 38" X 10 YD LENGTH*** STORE AT OR BELOW 10 DEG F BMS8-139 CL 1 STY 1581 (F161-108) 350F CURE *SDS & CERTS*	06/14/2025	4.00
HCS2401-055-10	PREPREG FIBERGLASS, BMS8-139 ST1581- HEXCEL ***CUT TO 38" X 10 YD LENGTH*** STORE AT OR BELOW 10 DEG F BMS8-139 CL 1 STY 1581 (F161-108) 350F CURE *SDS & CERTS*	06/14/2025	1.00
HCS2402-100	PREPREG TAPE, HEXCEL P/N 114481, IM7-G/8552; 35%; 190AW, 1 ROLL = 48" X 50 YDS APPROX, STORE AT OR BELOW 0 DEG F ** SDS AND CERTS ** *ULTIMATE END USER, END DESTINATION & END USE OF PRODUCT REQUIRED IN WRITING PRIOR TO ORDER PROCESSING*	06/14/2025	50.00
HCS2402-100	PREPREG TAPE, HEXCEL P/N 114481, IM7-G/8552; 35%; 190AW, 1 ROLL = 48" X 50 YDS APPROX, STORE AT OR BELOW 0 DEG F ** SDS AND CERTS ** *ULTIMATE END USER, END DESTINATION & END USE OF PRODUCT REQUIRED IN WRITING PRIOR TO ORDER PROCESSING*	06/14/2025	44.00
HCS2402-100	PREPREG TAPE, HEXCEL P/N 114481, IM7-G/8552; 35%; 190AW, 1 ROLL = 48" X 50 YDS APPROX, STORE AT OR BELOW 0 DEG F ** SDS AND CERTS ** *ULTIMATE END USER, END DESTINATION & END USE OF PRODUCT REQUIRED IN WRITING PRIOR TO ORDER PROCESSING*	06/14/2025	50.00
HCS2402-100	PREPREG TAPE, HEXCEL P/N 114481, IM7-G/8552; 35%; 190AW, 1 ROLL = 48" X 50 YDS APPROX, STORE AT OR BELOW 0 DEG F ** SDS AND CERTS ** *ULTIMATE END USER, END DESTINATION & END USE OF PRODUCT REQUIRED IN WRITING PRIOR TO ORDER PROCESSING*	06/14/2025	49.67
HCS2402-100	PREPREG TAPE, HEXCEL P/N 114481, IM7-G/8552; 35%; 190AW, 1 ROLL = 48" X 50 YDS APPROX, STORE AT OR BELOW 0 DEG F ** SDS AND CERTS ** *ULTIMATE END USER, END DESTINATION & END USE OF PRODUCT REQUIRED IN WRITING PRIOR TO ORDER PROCESSING*	06/14/2025	50.00
HCS2402-100	PREPREG TAPE, HEXCEL P/N 114481, IM7-G/8552; 35%; 190AW, 1 ROLL = 48" X 50 YDS APPROX, STORE AT OR BELOW 0 DEG F ** SDS AND CERTS ** *ULTIMATE END USER, END DESTINATION & END USE OF PRODUCT REQUIRED IN WRITING PRIOR TO ORDER PROCESSING*	06/14/2025	49.67
HCS2402-100	PREPREG TAPE, HEXCEL P/N 114481, IM7-G/8552; 35%; 190AW, 1 ROLL = 48" X 50 YDS APPROX, STORE AT OR BELOW 0 DEG F ** SDS AND CERTS ** *ULTIMATE END USER, END DESTINATION & END USE OF PRODUCT REQUIRED IN WRITING PRIOR TO ORDER PROCESSING*	06/14/2025	50.00
HCS2401-015-10	PREPREG FIBERGLASS, BMS8-79 ST120- HEXCEL ***CUT TO 38" X 10 YDS ROLL*** STORE AT OR BELOW 10 DEG F BMS8-79 CL III STY 120 GRADE A OR B FORM A Rev AE (F155-5) 250F CURE *SDS & CERTS*	06/28/2025	2.00
HCS2404-056	ADHESIVE FILM, LOCTITE EA7000 .0325NW AERO,BMS5-154 TYPE II & III, CLASS 1 & 2 GRADE 3 AND 3A, 36" X 53 YDS APPROX (480 SF) PER ROLL, STORE AT OR BELOW 10 DEG F, * MDSD & CERTS *	07/01/2025	3.00
HCS2404-056-10	ADHESIVE FILM, LOCTITE EA7000 .0325NW AERO, BMS5-154 TYPE II & III, CLASS 1 & 2 GRADE 3 AND 3A, CUT TO 36" X 10 YD LENGTH, STORE AT OR BELOW 10 DEG F * MDSD & CERTS *	07/01/2025	3.00
HCS2404-056-10	ADHESIVE FILM, LOCTITE EA7000 .0325NW AERO, BMS5-154 TYPE II & III, CLASS 1 & 2 GRADE 3 AND 3A, CUT TO 36" X 10 YD LENGTH, STORE AT OR BELOW 10 DEG F * MDSD & CERTS *	07/01/2025	2.00
HCS2407-049	3M EC1660 5% STRUCTURAL ADHESIVE PRIMER, COLOR GREEN, GALLONS, CERTIFIED TO BMS5-42 TYI CL2, STORE AT LESS THAN 40 DEG F ** DANGEROUS GOODS SHIPPERS DEC REQ** *SDS & CERTS*	07/06/2025	3.00
HCS2406-012	ADHESIVE PRIMER STRUCTURAL, 3M EW 5000, GALLON, BMS 5-89 TY III REV T, BMS 5-137 TYPE I CL 4 REV M, AMBIENT TEMPERATURE DRYING, 250 DEGREE CURE,STORE IN REFRIGERATED CONDITION 35-55 DEGREES F , DO NOT FREEZE. DANGEROUS GOODS SHIPPERS DEC. REQ. ** SDS AND CERTS REQUIRED **	07/09/2025	1.00
HCS2404-170-10	ADHESIVE FILM, SPECS:, BMS5-101 TYPE II GRADE 10, REV M, BMS5-129 TY2 AND TY4 CLIIE GR 10 REV L, DMS2465 TY1 CL1 GRA, LOCTITE EA9696 NW, .060 PSF THICKNESS, CURE TEMP 250F, SERVICE TEMP 250F **CUT TO 36" X 10 YD LENGTH** STORE AT OR BELOW O DEGREE F ** SDS & CERTS REQUIRED **	07/15/2025	2.00
HCS2406-014	This material is a custom buy only, ADHESIVE PRIMER STRUCTURAL, 3M EW 5000AS, CB-5501, AMBIENT TEMPERATURE DRYING, 250 DEGREE CURE IN REFRIGERATED CONDITIONS 35-55 DEGREES, DO NOT FREEZE *SDS AND CERTS REQUIRED**	07/15/2025	16.00
HCS2406-014	This material is a custom buy only ADHESIVE PRIMER STRUCTURAL, 3M EW 5000AS, CB-5501, AMBIENT TEMPERATURE DRYING, 250 DEGREE CURE IN REFRIGERATED CONDITIONS 35-55 DEGREES, DO NOT FREEZE *SDS AND CERTS REQUIRED**	07/15/2025	9.00
HCS2405-040	CORE SPLICE FILM, LOCTITE EF 562 .050 1' X 2' SHEET, BMS5-90, TY III, CL1, GR50, REV W. AIRBUS SPEC: IPS 10-02-001-05 GRADE B, STORE AT OR BELOW 0 DEG F, 250/350 DEGREE CURE TEMP, *** SDS AND CERTS REQUIRED ***, **10 sheet MOQ, has to be ordered in increments of 10 sheets**	07/20/2025	20.00
HCS2405-040	CORE SPLICE FILM, LOCTITE EF 562 .050 1' X 2' SHEET, BMS5-90, TY III, CL1, GR50, REV W. AIRBUS SPEC: IPS 10-02-001-05 GRADE B, STORE AT OR BELOW 0 DEG F, 250/350 DEGREE CURE TEMP, *** SDS AND CERTS REQUIRED ***, **10 sheet MOQ, has to be ordered in increments of 10 sheets**	07/20/2025	20.00
HCS2403-015	PREPREG KEVLAR BMS8-219 ST285, HEXCEL 38" WIDE, STORE AT OR BELOW 10 DEG F. BMS8-219 ST 285 (K285 38" F155-71:52%) 1 ROLL = 38" X 65 YARDS APPROX, 250F CURE *SDS & CERTS*	07/30/2025	85.00
HCS2403-015	PREPREG KEVLAR BMS8-219 ST285, HEXCEL 38" WIDE, STORE AT OR BELOW 10 DEG F. BMS8-219 ST 285 (K285 38" F155-71:52%) 1 ROLL = 38" X 65 YARDS APPROX, 250F CURE *SDS & CERTS*	07/30/2025	94.75
HCS2403-015	PREPREG KEVLAR BMS8-219 ST285, HEXCEL 38" WIDE, STORE AT OR BELOW 10 DEG F. BMS8-219 ST 285 (K285 38" F155-71:52%) 1 ROLL = 38" X 65 YARDS APPROX, 250F CURE *SDS & CERTS*	07/30/2025	94.75
HCS2403-015	PREPREG KEVLAR BMS8-219 ST285, HEXCEL 38" WIDE, STORE AT OR BELOW 10 DEG F. BMS8-219 ST 285 (K285 38" F155-71:52%) 1 ROLL = 38" X 65 YARDS APPROX, 250F CURE *SDS & CERTS*	07/30/2025	45.75
HCS2403-015-05	PREPREG KEVLAR BMS8-219 ST285- HEXCEL ***CUT TO 38" X 5 YD LENGTH*** STORE AT OR BELOW 10 DEG F. BMS8-219 ST 285 (F155-71) 250F CURE *SDS & CERTS*	07/30/2025	1.00
HCS2403-015-10	PREPREG KEVLAR BMS8-219 ST285- HEXCEL ***CUT TO 38" X 10 YD LENGTH*** STORE AT OR BELOW 10 DEG F. BMS8-219 ST 285 (F155-71) 250F CURE *SDS & CERTS*	07/30/2025	2.00



HCS Part #	Description	Expiration Date	Qty
HCS2403-015	PREPREG KEVLAR BMS8-219 ST285, HEXCEL 38" WIDE, STORE AT OR BELOW 10 DEG F. BMS8-219 ST 285 (K285 38" F155-71:52%) 1 ROLL = 38" X 65 YARDS APPROX, 250F CURE *SDS & CERTS*	07/30/2025	45.75
HCS2403-015-05	PREPREG KEVLAR BMS8-219 ST285- HEXCEL ***CUT TO 38" X 5 YD LENGTH*** STORE AT OR BELOW 10 DEG F. BMS8-219 ST 285 (F155-71) 250F CURE *SDS & CERTS*	07/30/2025	1.00
HCS2403-015-10	PREPREG KEVLAR BMS8-219 ST285- HEXCEL ***CUT TO 38" X 10 YD LENGTH*** STORE AT OR BELOW 10 DEG F. BMS8-219 ST 285 (F155-71) 250F CURE *SDS & CERTS*	07/30/2025	2.00
HCS2403-015-10	PREPREG KEVLAR BMS8-219 ST285- HEXCEL ***CUT TO 38" X 10 YD LENGTH*** STORE AT OR BELOW 10 DEG F. BMS8-219 ST 285 (F155-71) 250F CURE *SDS & CERTS*	07/30/2025	2.00
HCS2401-015	PREPREG FIBERGLASS, BMS8-79 ST120, HEXCEL 38" WIDE, STORE AT OR BELOW 10 DEG F. BMS8-79 CL III STY 120 GRADE A OR B FORM A Rev AE (120 38" F155-5:45%) 1 ROLL = 38" X 100 YDS APPROX, 250F CURE *SDS & CERTS*	08/08/2025	120.00
HCS2401-015	PREPREG FIBERGLASS, BMS8-79 ST120, HEXCEL 38" WIDE, STORE AT OR BELOW 10 DEG F. BMS8-79 CL III STY 120 GRADE A OR B FORM A Rev AE (120 38" F155-5:45%) 1 ROLL = 38" X 100 YDS APPROX, 250F CURE *SDS & CERTS*	08/08/2025	120.00
HCS2401-015	PREPREG FIBERGLASS, BMS8-79 ST120, HEXCEL 38" WIDE, STORE AT OR BELOW 10 DEG F. BMS8-79 CL III STY 120 GRADE A OR B FORM A Rev AE (120 38" F155-5:45%) 1 ROLL = 38" X 100 YDS APPROX, 250F CURE *SDS & CERTS*	08/08/2025	77.00
HCS2401-015	PREPREG FIBERGLASS, BMS8-79 ST120, HEXCEL 38" WIDE, STORE AT OR BELOW 10 DEG F. BMS8-79 CL III STY 120 GRADE A OR B FORM A Rev AE (120 38" F155-5:45%) 1 ROLL = 38" X 100 YDS APPROX, 250F CURE *SDS & CERTS*	08/08/2025	77.00
HCS2401-015	PREPREG FIBERGLASS, BMS8-79 ST120, HEXCEL 38" WIDE, STORE AT OR BELOW 10 DEG F. BMS8-79 CL III STY 120 GRADE A OR B FORM A Rev AE (120 38" F155-5:45%) 1 ROLL = 38" X 100 YDS APPROX, 250F CURE *SDS & CERTS*	08/08/2025	115.00
HCS2401-015	PREPREG FIBERGLASS, BMS8-79 ST120, HEXCEL 38" WIDE, STORE AT OR BELOW 10 DEG F. BMS8-79 CL III STY 120 GRADE A OR B FORM A Rev AE (120 38" F155-5:45%) 1 ROLL = 38" X 100 YDS APPROX, 250F CURE *SDS & CERTS*	08/08/2025	115.00
HCS2401-015	PREPREG FIBERGLASS, BMS8-79 ST120, HEXCEL 38" WIDE, STORE AT OR BELOW 10 DEG F. BMS8-79 CL III STY 120 GRADE A OR B FORM A Rev AE (120 38" F155-5:45%) 1 ROLL = 38" X 100 YDS APPROX, 250F CURE *SDS & CERTS*	08/08/2025	100.00
HCS2401-015	PREPREG FIBERGLASS, BMS8-79 ST120, HEXCEL 38" WIDE, STORE AT OR BELOW 10 DEG F. BMS8-79 CL III STY 120 GRADE A OR B FORM A Rev AE (120 38" F155-5:45%) 1 ROLL = 38" X 100 YDS APPROX, 250F CURE *SDS & CERTS*	08/08/2025	100.00
HCS2401-015-10	PREPREG FIBERGLASS, BMS8-79 ST120- HEXCEL ***CUT TO 38" X 10 YDS ROLL*** STORE AT OR BELOW 10 DEG F BMS8-79 CL III STY 120 GRADE A OR B FORM A Rev AE (F155-5) 250F CURE *SDS & CERTS*	08/08/2025	1.00
HCS2401-055	PREPREG FIBERGLASS, BMS8-139 ST1581, HEXCEL 38" WIDE, STORE AT OR BELOW 10 DEG F. BMS8-139 CL 1 STY 1581 (1581 38" F161-108:36%) 1 ROLL = 38" X 60 YDS APPROX, 350F CURE *SDS & CERTS*	08/08/2025	50.00
HCS2401-055	PREPREG FIBERGLASS, BMS8-139 ST1581, HEXCEL 38" WIDE, STORE AT OR BELOW 10 DEG F. BMS8-139 CL 1 STY 1581 (1581 38" F161-108:36%) 1 ROLL = 38" X 60 YDS APPROX, 350F CURE *SDS & CERTS*	08/08/2025	100.00
HCS2401-055-05	PREPREG FIBERGLASS, BMS8-139 ST1581- HEXCEL ***CUT TO 38" X 5 YD LENGTH*** STORE AT OR BELOW 10 DEG F BMS8-139 CL 1 STY 1581 (F161-108) 350F CURE *SDS & CERTS*	08/08/2025	1.00
HCS2401-055-05	PREPREG FIBERGLASS, BMS8-139 ST1581- HEXCEL ***CUT TO 38" X 5 YD LENGTH*** STORE AT OR BELOW 10 DEG F BMS8-139 CL 1 STY 1581 (F161-108) 350F CURE *SDS & CERTS*	08/08/2025	1.00
HCS2401-055-10	PREPREG FIBERGLASS, BMS8-139 ST1581- HEXCEL ***CUT TO 38" X 10 YD LENGTH*** STORE AT OR BELOW 10 DEG F BMS8-139 CL 1 STY 1581 (F161-108) 350F CURE *SDS & CERTS*	08/08/2025	3.00
HCS2401-055-10	PREPREG FIBERGLASS, BMS8-139 ST1581- HEXCEL ***CUT TO 38" X 10 YD LENGTH*** STORE AT OR BELOW 10 DEG F BMS8-139 CL 1 STY 1581 (F161-108) 350F CURE *SDS & CERTS*	08/08/2025	1.00
HCS2402-070	PREPREG GRAPHITE BMS8-297, CYTEC 60" WIDE, STORE AT OR BELOW 10 DEG F. BMS8-297 3K-135-8H TYPE III, CL 2 (CYCOM 934/8HS T300) 1 ROLL = 60" X 50 YDS APPROX, 350 DEG F CURE *SDS & CERTS* *ULTIMATE END USER, END DESTINATION & END USE OF PRODUCT REQUIRED IN WRITING PRIOR TO ORDER PROCESSING.*EXPORT LICENSE MAY BE REQUIRED PRIOR TO SHIPPING.	08/12/2025	36.66
HCS2402-070	PREPREG GRAPHITE BMS8-297, CYTEC 60" WIDE, STORE AT OR BELOW 10 DEG F. BMS8-297 3K-135-8H TYPE III, CL 2 (CYCOM 934/8HS T300) 1 ROLL = 60" X 50 YDS APPROX, 350 DEG F CURE *SDS & CERTS* *ULTIMATE END USER, END DESTINATION & END USE OF PRODUCT REQUIRED IN WRITING PRIOR TO ORDER PROCESSING.*EXPORT LICENSE MAY BE REQUIRED PRIOR TO SHIPPING.	08/12/2025	36.66
HCS2402-070	PREPREG GRAPHITE BMS8-297, CYTEC 60" WIDE, STORE AT OR BELOW 10 DEG F. BMS8-297 3K-135-8H TYPE III, CL 2 (CYCOM 934/8HS T300) 1 ROLL = 60" X 50 YDS APPROX, 350 DEG F CURE *SDS & CERTS* *ULTIMATE END USER, END DESTINATION & END USE OF PRODUCT REQUIRED IN WRITING PRIOR TO ORDER PROCESSING.*EXPORT LICENSE MAY BE REQUIRED PRIOR TO SHIPPING.	08/12/2025	36.66
HCS2402-070	PREPREG GRAPHITE BMS8-297, CYTEC 60" WIDE, STORE AT OR BELOW 10 DEG F. BMS8-297 3K-135-8H TYPE III, CL 2 (CYCOM 934/8HS T300) 1 ROLL = 60" X 50 YDS APPROX, 350 DEG F CURE *SDS & CERTS* *ULTIMATE END USER, END DESTINATION & END USE OF PRODUCT REQUIRED IN WRITING PRIOR TO ORDER PROCESSING.*EXPORT LICENSE MAY BE REQUIRED PRIOR TO SHIPPING.	08/12/2025	36.66
HCS2402-070	PREPREG GRAPHITE BMS8-297, CYTEC 60" WIDE, STORE AT OR BELOW 10 DEG F. BMS8-297 3K-135-8H TYPE III, CL 2 (CYCOM 934/8HS T300) 1 ROLL = 60" X 50 YDS APPROX, 350 DEG F CURE *SDS & CERTS* *ULTIMATE END USER, END DESTINATION & END USE OF PRODUCT REQUIRED IN WRITING PRIOR TO ORDER PROCESSING.*EXPORT LICENSE MAY BE REQUIRED PRIOR TO SHIPPING.	08/12/2025	36.33
HCS2402-070-10	PREPREG GRAPHITE BMS8-297, CYTEC ***CUT TO 60" X 10 YD LENGTH*** STORE AT OR BELOW 10 DEG F. BMS8-297 3K-135-8H TYPE III, CL 2 (CYCOM 934/8HS T300) 350 DEG F CURE *SDS & CERTS* *ULTIMATE END USER, END DESTINATION & END USE OF PRODUCT REQUIRED IN WRITING PRIOR TO ORDER PROCESSING.*EXPORT LICENSE MAY BE REQUIRED PRIOR TO SHIPPING.	08/12/2025	1.00
HCS2402-070-10	PREPREG GRAPHITE BMS8-297, CYTEC ***CUT TO 60" X 10 YD LENGTH*** STORE AT OR BELOW 10 DEG F. BMS8-297 3K-135-8H TYPE III, CL 2 (CYCOM 934/8HS T300) 350 DEG F CURE *SDS & CERTS* *ULTIMATE END USER, END DESTINATION & END USE OF PRODUCT REQUIRED IN WRITING PRIOR TO ORDER PROCESSING.*EXPORT LICENSE MAY BE REQUIRED PRIOR TO SHIPPING.	08/12/2025	1.00
HCS2402-015-10	PREPREG GRAPHITE BMS8-168- HEXCEL ***CUT TO 42" X 10 YD LENGTH*** STORE AT OR BELOW 10 DEG F BMS8-168 3K-70-PW TYPE II & III, CL2, (F155-76) 250F CURE *SDS & CERTS*	08/21/2025	1.00
HCS2405-015	CYM FM410-1 CORE SPLICE SHEET 0.050", THICKNESS STORE AT OR BELOW -0- DEG F, 1' X 2' , ***SDS & OEM CERTS***, Must be purchased in 5 sheet increments, Cytec 777, Rev. C, Commercial Certifications, AMS 3689, Rev. B, SMS 38, Issue 5, Grade 50, NAI 1412, Rev D. RC R104074, Type 4, Class D, STM M503, Rev. A, Type I, Grade A, PCS 5134, Revision, C, Type I NM 3027, Rev. L, Type II, Class 250/350L, Grade 50 (NM 3027-2), GMS 4302, Rev. C, Type I (GMS4302-1) and Type II (GMS 4302-2), DHMS A6.06, Rev. D	08/27/2025	5.00